


D5061-1 FWD WEARPLATE




D5061-3 AFT WEARPLATE

RELEASED
2014-04-15
WD

APPROVED

A	NEW ISSUE	AP	14.04.08
REV.	DESCRIPTION	BY	DATE
DESIGN	AP	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AJS		
CHECKED	AP	DRAWING NO.	REV. A
MFG. APPR.	DD	D5061	SHEET 1 OF 5
APPROVED	MP	TITLE	SCALE
DE APPR.	DS	WEARPLATE	NTS
DATE	14.04.08	COPYRIGHT © 2014 BY DART AEROSPACE LTD <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	




NOTES:

- 1) MATERIAL: MAKE FROM D5061-1F
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY PER QSI 044 METHOD 6.1
- 7) WEIGHT: 3.0 lbs
- 8) WELDING: PER QSI 004, APPLY LAYER OF 2059 HARDCOAT WELD TO 0.063 - 0.125 HIGH AFTER BENDING
- 9) IT IS ACCEPTABLE TO OVERBEND UP TO 2 DEGREES OR UNDERBEND UP TO 5 DEGREES
- 10) COAT ENTIRE TOP (CONCAVE) SURFACE WITH TEXTURED COATING, 0.020 - 0.040 THK, PER QSI 005 4.9
- 11) OPEN UP DRAIN HOLE IF NECESSARY TO $\varnothing 0.188$ AFTER APPLYING TEXTURED COATING

APPROVED

DESIGN	AP	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AJS		
CHECKED	AP	DRAWING NO.	REV. A
MFG. APPR.	DD	D5061	SHEET 2 OF 5
APPROVED	MP	TITLE	SCALE
DE APPR.	DS	WEARPLATE	NTS
DATE	14.04.08	COPYRIGHT © 2014 BY DART AEROSPACE LTD. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	




D5061-3 AFT WEARPLATE
(MAKE FROM D5061-3F)

SECTION C-C
SCALE 3X


RELEASED
2014-04-15

- NOTES:**
- 1) MATERIAL: MAKE FROM D5061-3F
 - 2) FINISH: NONE
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: IDENTIFY PER QSI 044 METHOD 6.1
 - 7) WEIGHT: 2.7 lbs
 - 8) WELDING: PER QSI 004, APPLY LAYER OF 2059 HARDCOAT WELD TO 0.063 - 0.125 HIGH AFTER BENDING
 - 9) IT IS ACCEPTABLE TO OVERBEND UP TO 2 DEGREES OR UNDERBEND UP TO 5 DEGREES
 - 10) COAT ENTIRE TOP (CONCAVE) SURFACE WITH TEXTURED COATING, 0.020 - 0.040 THK PER QSI 005 4.9
 - 11) OPEN UP DRAIN HOLE IF NECESSARY TO $\phi 0.188$ AFTER APPLYING TEXTURED COATING

APPROVED	DESIGN	AP	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
	DRAWN	AJS		
	CHECKED	AP	DRAWING NO.	REV. A
	MFG. APPR.	DD	D5061	SHEET 3 OF 5
	APPROVED	MP	TITLE	SCALE
	DE APPR.	DS	WEARPLATE	NTS
	DATE	14.04.08	COPYRIGHT © 2014 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



D5061-1F FWD WEARPLATE




DETAIL D
SCALE 3X
3 PL

- NOTES:**
- 1) MATERIAL: AISI 304/316 STAINLESS STEEL PER MIL-S-5059 OR AMS 5513 OR AMS 5524 OR ASTM A240 OR ASME SA240 18 GAUGE 0.050 THICK (REF DART SPEC. M304S18GA)
 - 2) FINISH: NONE
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: NONE
 - 7) WEIGHT: N/A


APPROVED

DESIGN	AP	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AJS		
CHECKED	AP	DRAWING NO.	REV. A
MFG. APPR.	DD	D5061	SHEET 4 OF 5
APPROVED	MP	TITLE	SCALE
DE APPR.	DS	WEARPLATE	NTS
DATE	14.04.08	<small>COPYRIGHT © 2014 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

RELEASED
2014-04-15



D5061-3F AFT WEARPLATE



DETAIL E
SCALE 3X
4 PL

NOTES:

- 1) MATERIAL: AISI 304/316 STAINLESS STEEL PER MIL-S-5059 OR AMS 5513 OR AMS 5524 OR ASTM A240 OR ASME SA240 18 GAUGE 0.050 THICK (REF DART SPEC. M304S18GA)
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: N/A

APPROVED

DESIGN	AP	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AJS		
CHECKED	AP	DRAWING NO.	REV. A
MFG. APPR.	DD	D5061	SHEET 5 OF 5
APPROVED	MP	TITLE	SCALE
DE APPR.	DS	WEARPLATE	NTS
DATE	14.04.08	<small>COPYRIGHT © 2014 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

RELEASED
2014-04-15